



## Pipe Lifting Clamp TPH

### Product information

**General:** Horizontal pipe lifting clamp TPH/TPH-HD - Non marking. Clamp for horizontal lifting and transporting of steel and concrete pipes without damaging the product.

Model THP: Standard clamp

Model THP-HD: special for extreme heavy duty lifting situations

#### Features:

- TPH Jaw is covered with a special high quality pressure resistant plastic.
- TPH-HD Jaw is covered with special high quality extreme high pressure resistant plastic.
- Maintenance-friendly clamps, plastic pressure resistant cover is easy to change.
- TPH-HD has special handle for easy handling.
- Compact design and high lifting capacity.
- Lightweight design for easy handling.
- Tough quality heavy duty body.

**Marking:** According to standard, Type, serial number, WLL, Jaw opening and CE marking.

**Temperature range:** TPH: - 40°C to + 50°C. / TPH-HD - 30°C to + 80°C.

**Standard:** EN 13155

| Part Code       | Code      | WLL ton | Jaw width mm | V mm | S mm | W mm | U mm | T mm | X mm | Y mm | Weight kg | Delivery time |
|-----------------|-----------|---------|--------------|------|------|------|------|------|------|------|-----------|---------------|
| 502100150400740 | 1.5 TPH   | 1.5     | 40           | 120  | 70   | 50   | 185  | 16   | 41   | 25   | 2         | 2             |
| 502100300400740 | 3 TPH     | 3       | 40           | 120  | 70   | 50   | 185  | 16   | 41   | 25   | 2         | 7             |
| 502100400500740 | 4 TPH     | 4       | 50           | 140  | 70   | 58   | 204  | 26   | 41   | 25   | 3         | 7             |
| 502100500600740 | 5 TPH-HD  | 5       | 60           | 309  | 100  | 85   | 232  | 26   | 80   | 20   | 6.7       | 7             |
| 502100600500740 | 6 TPH     | 6       | 50           | 140  | 70   | 58   | 204  | 26   | 41   | 25   | 3         | 7             |
| 502100800700740 | 8 TPH     | 8       | 70           | 140  | 70   | 58   | 224  | 26   | 45   | 25   | 3.4       | 7             |
| 502101000700740 | 10TPH     | 10      | 70           | 140  | 70   | 58   | 224  | 26   | 85   | 45   | 5         | 7             |
| 502101000600740 | 10 TPH-HD | 10      | 60           | 319  | 100  | 85   | 236  | 36   | 80   | 30   | 9.7       | 7             |
| 502101200700740 | 12TPH     | 12      | 70           | 140  | 70   | 58   | 224  | 26   | 85   | 45   | 7         | 7             |
| 502101500700740 | 15TPH     | 15      | 70           | 155  | 70   | 76   | 250  | 26   | 100  | 60   | 9         | 7             |
| 502102000700740 | 20TPH     | 20      | 70           | 155  | 70   | 76   | 250  | 26   | 100  | 60   | 9         | 7             |
| 502102000600740 | 20 TPH-HD | 20      | 60           | 362  | 100  | 105  | 285  | 51   | 80   | 35   | 14        | 7             |
| 502103000600740 | 30 TPH-HD | 30      | 60           | 387  | 100  | 115  | 310  | 58   | 80   | 40   | 19        | 7             |
| 502106000600740 | 60 TPH-HD | 60      | 60           | 418  | 100  | 115  | 350  | 85   | 80   | 60   | 28.5      | 7             |

# Blueprint

