

Steel wire rope veropro 8

Product information



Wire rope construction: veropro 8 is a 8-strand, non rotation-resistant rope with compacted outer strands and a rope core covered with a plastic layer.

Features:

- Very high breaking strength.
- Very stable rope construction with very good fatigue properties.
- A plastic layer between inner and outer strands prevents inner wear and protects the core from corrosion.
- Very high resistance against flattening and wear.
- Specially suitable for multilayer spooling (Lang Lay).

ISO 4309

Rope Category No: Up to 42mm **RCN.09**, 43-48mm **RCN.11**, > 48mm **RCN.13**

Marking: According to standard


Standard: EN 12385-4

Warning: veropro 8 may not be used with a swivel.


Fill factor: 0.666

RCN: 09

Tolerance Ø: +2% to +4%



Overhead cranes



Mobile port crane



Offshore crane



Loading crane



Crawler crane



Container crane



Piling crane



Tower crane



Deck crane



103102406250289	24	-	-	-	-	-	-	-	-
103102506250289	25	-	-	-	-	-	-	-	-
103102546250289	25.4	-	-	-	-	-	-	-	-
103102606250289	26	-	-	-	-	-	-	-	-
103102706250289	27	-	-	-	-	-	-	-	-
103102806250289	28	-	-	-	-	-	-	-	-
103102866250289	28.6	-	-	-	-	-	-	-	-
103102906250289	29	-	-	-	-	-	-	-	-
103103006250289	30	-	-	-	-	-	-	-	-
103103106250289	31	-	-	-	-	-	-	-	-
103103206250289	32	-	-	-	-	-	-	-	-
103103306250289	33	-	-	-	-	-	-	-	-
103103406250289	34	-	-	-	-	-	-	-	-
103103506250289	35	-	-	-	-	-	-	-	-
103103606250289	36	-	-	-	-	-	-	-	-
103103806250289	38	-	-	-	-	-	-	-	-
103104006250289	40	-	-	-	-	-	-	-	-
103104136250289	41.3	-	-	-	-	-	-	-	-
103104206250289	42	-	-	-	-	-	-	-	-
103104406250289	44	-	-	-	-	-	-	-	-
103104506250289	45	-	-	-	-	-	-	-	-
103104606250289	46	-	-	-	-	-	-	-	-
103104756250289	47.5	-	-	-	-	-	-	-	-

103104806250289	48	-	-	-	-	-	-	-	-	-
103105006250289	50	-	-	-	-	-	-	-	-	-
103105206250289	52	-	-	-	-	-	-	-	-	-
103105406250289	54	-	-	-	-	-	-	-	-	-
103105606250289	56	-	-	-	-	-	-	-	-	-
103105806250289	58	-	-	-	-	-	-	-	-	-
103106006250289	60	-	-	-	-	-	-	-	-	-

Technical data