


Overhead cranes



Ladle crane



Steel Wire Rope verosteel 8

Product information



Wire rope construction: verosteel 8 is 8-strand non-rotation-resistant rope with compacted outer strands.

Features:

- Intensive lubricated and produced either in galvanized or in ungalvanized wires.
- Provides excellent spooling behavior on multilayer drum.
- Very flexible rope construction with high abrasion resistance and good service life.
- Recommended in application with high environment temperature.

ISO 4309

Rope Category No: Up to 42mm **RCN.09**, 43-48mm **RCN.11**, > 48mm **RCN.13**.

Marking: According to standard

Standard: EN 12385-4

Warning: verosteel 8 may not be used with a swivel.

Fill factor: 0.702

RCN: 09

Tolerance Ø: +2% to +4%

| Part Code | Rope Diameter, mm | Tensile strength N/mm ² | Finish | Rope lay. | Min. Breaking force, kN | Steel area mm ² | Lubrication | Weight kg/100m | Delivery time |
|-----------------|-------------------|------------------------------------|------------|-----------|-------------------------|----------------------------|------------------|----------------|---------------|
| 103101604070329 | 16 | 1,960 | Bright | sZ | 235.1 | 141 | SupplierStandard | 116 | 20 |
| 103101604270329 | 16 | 1,960 | Galvanized | sZ | 235.1 | 141 | SupplierStandard | 116 | 20 |
| 103101603070329 | 16 | 1,960 | Bright | zS | 235.1 | 141 | SupplierStandard | 116 | 20 |
| 103101603270329 | 16 | 1,960 | Galvanized | zS | 235.1 | 141 | SupplierStandard | 116 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103101605070329 | 16 | 1,960 | Bright | sS | 235.1 | 141 | SupplierStandard | 116 | 20 |
| 103101605270329 | 16 | 1,960 | Galvanized | sS | 235.1 | 141 | SupplierStandard | 116 | 20 |
| 103101606070329 | 16 | 1,960 | Bright | zZ | 235.1 | 141 | SupplierStandard | 116 | 20 |
| 103101606270329 | 16 | 1,960 | Galvanized | zZ | 235.1 | 141 | SupplierStandard | 116 | 20 |
| 103101604100329 | 16 | 2,160 | Bright | sZ | 254.4 | 141 | SupplierStandard | 116 | 20 |
| 103101604300329 | 16 | 2,160 | Galvanized | sZ | 254.4 | 141 | SupplierStandard | 116 | 20 |
| 103101603100329 | 16 | 2,160 | Bright | zS | 254.4 | 141 | SupplierStandard | 116 | 20 |
| 103101603300329 | 16 | 2,160 | Galvanized | zS | 254.4 | 141 | SupplierStandard | 116 | 20 |
| 103101605100329 | 16 | 2,160 | Bright | sS | 254.4 | 141 | SupplierStandard | 116 | 20 |
| 103101605300329 | 16 | 2,160 | Galvanized | sS | 254.4 | 141 | SupplierStandard | 116 | 20 |
| 103101606100329 | 16 | 2,160 | Bright | zZ | 254.4 | 141 | SupplierStandard | 116 | 20 |
| 103101606300329 | 16 | 2,160 | Galvanized | zZ | 254.4 | 141 | SupplierStandard | 116 | 20 |
| 103101704070329 | 17 | 1,960 | Bright | sZ | 265.5 | 159 | SupplierStandard | 132 | 20 |
| 103101704270329 | 17 | 1,960 | Galvanized | sZ | 265.5 | 159 | SupplierStandard | 132 | 20 |
| 103101703070329 | 17 | 1,960 | Bright | zS | 265.5 | 159 | SupplierStandard | 132 | 20 |
| 103101703270329 | 17 | 1,960 | Galvanized | zS | 265.5 | 159 | SupplierStandard | 132 | 20 |
| 103101705070329 | 17 | 1,960 | Bright | sS | 265.5 | 159 | SupplierStandard | 132 | 20 |
| 103101705270329 | 17 | 1,960 | Galvanized | sS | 265.5 | 159 | SupplierStandard | 132 | 20 |
| 103101706070329 | 17 | 1,960 | Bright | zZ | 265.5 | 159 | SupplierStandard | 132 | 20 |
| 103101706270329 | 17 | 1,960 | Galvanized | zZ | 265.5 | 159 | SupplierStandard | 132 | 20 |
| 103101704100329 | 17 | 2,160 | Bright | sZ | 287.2 | 159 | SupplierStandard | 132 | 20 |
| 103101704300329 | 17 | 2,160 | Galvanized | sZ | 287.2 | 159 | SupplierStandard | 132 | 20 |
| 103101703100329 | 17 | 2,160 | Bright | zS | 287.2 | 159 | SupplierStandard | 132 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103101703300329 | 17 | 2,160 | Galvanized | zS | 287.2 | 159 | SupplierStandard | 132 | 20 |
| 103101705100329 | 17 | 2,160 | Bright | sS | 287.2 | 159 | SupplierStandard | 132 | 20 |
| 103101705300329 | 17 | 2,160 | Galvanized | sS | 287.2 | 159 | SupplierStandard | 132 | 20 |
| 103101706100329 | 17 | 2,160 | Bright | zZ | 287.2 | 159 | SupplierStandard | 132 | 20 |
| 103101706300329 | 17 | 2,160 | Galvanized | zZ | 287.2 | 159 | SupplierStandard | 132 | 20 |
| 103101804070329 | 18 | 1,960 | Bright | sZ | 297.6 | 179 | SupplierStandard | 147 | 20 |
| 103101804270329 | 18 | 1,960 | Galvanized | sZ | 297.6 | 179 | SupplierStandard | 147 | 20 |
| 103101803070329 | 18 | 1,960 | Bright | zS | 297.6 | 179 | SupplierStandard | 147 | 20 |
| 103101803270329 | 18 | 1,960 | Galvanized | zS | 297.6 | 179 | SupplierStandard | 147 | 20 |
| 103101805070329 | 18 | 1,960 | Bright | sS | 297.6 | 179 | SupplierStandard | 147 | 20 |
| 103101805270329 | 18 | 1,960 | Galvanized | sS | 297.6 | 179 | SupplierStandard | 147 | 20 |
| 103101806070329 | 18 | 1,960 | Bright | zZ | 297.6 | 179 | SupplierStandard | 147 | 20 |
| 103101806270329 | 18 | 1,960 | Galvanized | zZ | 297.6 | 179 | SupplierStandard | 147 | 20 |
| 103101804100329 | 18 | 2,160 | Bright | sZ | 322 | 179 | SupplierStandard | 147 | 20 |
| 103101804300329 | 18 | 2,160 | Galvanized | sZ | 322 | 179 | SupplierStandard | 147 | 20 |
| 103101803100329 | 18 | 2,160 | Bright | zS | 322 | 179 | SupplierStandard | 147 | 20 |
| 103101803300329 | 18 | 2,160 | Galvanized | zS | 322 | 179 | SupplierStandard | 147 | 20 |
| 103101805100329 | 18 | 2,160 | Bright | sS | 322 | 179 | SupplierStandard | 147 | 20 |
| 103101805300329 | 18 | 2,160 | Galvanized | sS | 322 | 179 | SupplierStandard | 147 | 20 |
| 103101806100329 | 18 | 2,160 | Bright | zZ | 322 | 179 | SupplierStandard | 147 | 20 |
| 103101806300329 | 18 | 2,160 | Galvanized | zZ | 322 | 179 | SupplierStandard | 147 | 20 |
| 103101904070329 | 19 | 1,960 | Bright | sZ | 331.6 | 199 | SupplierStandard | 164 | 20 |
| 103101904270329 | 19 | 1,960 | Galvanized | sZ | 331.6 | 199 | SupplierStandard | 164 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103101903070329 | 19 | 1,960 | Bright | zS | 331.6 | 199 | SupplierStandard | 164 | 20 |
| 103101903270329 | 19 | 1,960 | Galvanized | zS | 331.6 | 199 | SupplierStandard | 164 | 20 |
| 103101905070329 | 19 | 1,960 | Bright | sS | 331.6 | 199 | SupplierStandard | 164 | 20 |
| 103101905270329 | 19 | 1,960 | Galvanized | sS | 331.6 | 199 | SupplierStandard | 164 | 20 |
| 103101906070329 | 19 | 1,960 | Bright | zZ | 331.6 | 199 | SupplierStandard | 164 | 20 |
| 103101906270329 | 19 | 1,960 | Galvanized | zZ | 331.6 | 199 | SupplierStandard | 164 | 20 |
| 103101904100329 | 19 | 2,160 | Bright | sZ | 358.7 | 199 | SupplierStandard | 164 | 20 |
| 103101904300329 | 19 | 2,160 | Galvanized | sZ | 358.7 | 199 | SupplierStandard | 164 | 20 |
| 103101903100329 | 19 | 2,160 | Bright | zS | 358.7 | 199 | SupplierStandard | 164 | 20 |
| 103101903300329 | 19 | 2,160 | Galvanized | zS | 358.7 | 199 | SupplierStandard | 164 | 20 |
| 103101905100329 | 19 | 2,160 | Bright | sS | 358.7 | 199 | SupplierStandard | 164 | 20 |
| 103101905300329 | 19 | 2,160 | Galvanized | sS | 358.7 | 199 | SupplierStandard | 164 | 20 |
| 103101906100329 | 19 | 2,160 | Bright | zZ | 358.7 | 199 | SupplierStandard | 164 | 20 |
| 103101906300329 | 19 | 2,160 | Galvanized | zZ | 358.7 | 199 | SupplierStandard | 164 | 20 |
| 103102004070329 | 20 | 1,960 | Bright | sZ | 367.4 | 221 | SupplierStandard | 182 | 20 |
| 103102004270329 | 20 | 1,960 | Galvanized | sZ | 367.4 | 221 | SupplierStandard | 182 | 20 |
| 103102003070329 | 20 | 1,960 | Bright | zS | 367.4 | 221 | SupplierStandard | 182 | 20 |
| 103102003270329 | 20 | 1,960 | Galvanized | zS | 367.4 | 221 | SupplierStandard | 182 | 20 |
| 103102005070329 | 20 | 1,960 | Bright | sS | 367.4 | 221 | SupplierStandard | 182 | 20 |
| 103102005270329 | 20 | 1,960 | Galvanized | sS | 367.4 | 221 | SupplierStandard | 182 | 20 |
| 103102006070329 | 20 | 1,960 | Bright | zZ | 367.4 | 221 | SupplierStandard | 182 | 20 |
| 103102006270329 | 20 | 1,960 | Galvanized | zZ | 367.4 | 221 | SupplierStandard | 182 | 20 |
| 103102004100329 | 20 | 2,160 | Bright | sZ | 397.5 | 221 | SupplierStandard | 182 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103102004300329 | 20 | 2,160 | Galvanized | sZ | 397.5 | 221 | SupplierStandard | 182 | 20 |
| 103102003100329 | 20 | 2,160 | Bright | zS | 397.5 | 221 | SupplierStandard | 182 | 20 |
| 103102003300329 | 20 | 2,160 | Galvanized | zS | 397.5 | 221 | SupplierStandard | 182 | 20 |
| 103102005100329 | 20 | 2,160 | Bright | sS | 397.5 | 221 | SupplierStandard | 182 | 20 |
| 103102005300329 | 20 | 2,160 | Galvanized | sS | 397.5 | 221 | SupplierStandard | 182 | 20 |
| 103102006100329 | 20 | 2,160 | Bright | zZ | 397.5 | 221 | SupplierStandard | 182 | 20 |
| 103102006300329 | 20 | 2,160 | Galvanized | zZ | 397.5 | 221 | SupplierStandard | 182 | 20 |
| 103102104070329 | 21 | 1,960 | Bright | sZ | 405.1 | 243 | SupplierStandard | 201 | 20 |
| 103102104270329 | 21 | 1,960 | Galvanized | sZ | 405.1 | 243 | SupplierStandard | 201 | 20 |
| 103102103070329 | 21 | 1,960 | Bright | zS | 405.1 | 243 | SupplierStandard | 201 | 20 |
| 103102103270329 | 21 | 1,960 | Galvanized | zS | 405.1 | 243 | SupplierStandard | 201 | 20 |
| 103102105070329 | 21 | 1,960 | Bright | sS | 405.1 | 243 | SupplierStandard | 201 | 20 |
| 103102105270329 | 21 | 1,960 | Galvanized | sS | 405.1 | 243 | SupplierStandard | 201 | 20 |
| 103102106070329 | 21 | 1,960 | Bright | zZ | 405.1 | 243 | SupplierStandard | 201 | 20 |
| 103102106270329 | 21 | 1,960 | Galvanized | zZ | 405.1 | 243 | SupplierStandard | 201 | 20 |
| 103102104100329 | 21 | 2,160 | Bright | sZ | 438.2 | 243 | SupplierStandard | 201 | 20 |
| 103102104300329 | 21 | 2,160 | Galvanized | sZ | 438.2 | 243 | SupplierStandard | 201 | 20 |
| 103102103100329 | 21 | 2,160 | Bright | zS | 438.2 | 243 | SupplierStandard | 201 | 20 |
| 103102103300329 | 21 | 2,160 | Galvanized | zS | 438.2 | 243 | SupplierStandard | 201 | 20 |
| 103102105100329 | 21 | 2,160 | Bright | sS | 438.2 | 243 | SupplierStandard | 201 | 20 |
| 103102105300329 | 21 | 2,160 | Galvanized | sS | 438.2 | 243 | SupplierStandard | 201 | 20 |
| 103102106100329 | 21 | 2,160 | Bright | zZ | 438.2 | 243 | SupplierStandard | 201 | 20 |
| 103102106300329 | 21 | 2,160 | Galvanized | zZ | 438.2 | 243 | SupplierStandard | 201 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103102204070329 | 22 | 1,960 | Bright | sZ | 444.6 | 267 | SupplierStandard | 220 | 20 |
| 103102204270329 | 22 | 1,960 | Galvanized | sZ | 444.6 | 267 | SupplierStandard | 220 | 20 |
| 103102203070329 | 22 | 1,960 | Bright | zS | 444.6 | 267 | SupplierStandard | 220 | 20 |
| 103102203270329 | 22 | 1,960 | Galvanized | zS | 444.6 | 267 | SupplierStandard | 220 | 20 |
| 103102205070329 | 22 | 1,960 | Bright | sS | 444.6 | 267 | SupplierStandard | 220 | 20 |
| 103102205270329 | 22 | 1,960 | Galvanized | sS | 444.6 | 267 | SupplierStandard | 220 | 20 |
| 103102206070329 | 22 | 1,960 | Bright | zZ | 444.6 | 267 | SupplierStandard | 220 | 20 |
| 103102206270329 | 22 | 1,960 | Galvanized | zZ | 444.6 | 267 | SupplierStandard | 220 | 20 |
| 103102204100329 | 22 | 2,160 | Bright | sZ | 481 | 267 | SupplierStandard | 220 | 20 |
| 103102204300329 | 22 | 2,160 | Galvanized | sZ | 481 | 267 | SupplierStandard | 220 | 20 |
| 103102203100329 | 22 | 2,160 | Bright | zS | 481 | 267 | SupplierStandard | 220 | 20 |
| 103102203300329 | 22 | 2,160 | Galvanized | zS | 481 | 267 | SupplierStandard | 220 | 20 |
| 103102205100329 | 22 | 2,160 | Bright | sS | 481 | 267 | SupplierStandard | 220 | 20 |
| 103102205300329 | 22 | 2,160 | Galvanized | sS | 481 | 267 | SupplierStandard | 220 | 20 |
| 103102206100329 | 22 | 2,160 | Bright | zZ | 481 | 267 | SupplierStandard | 220 | 20 |
| 103102206300329 | 22 | 2,160 | Galvanized | zZ | 481 | 267 | SupplierStandard | 220 | 20 |
| 103102304070329 | 23 | 1,960 | Bright | sZ | 485.9 | 292 | SupplierStandard | 241 | 20 |
| 103102304270329 | 23 | 1,960 | Galvanized | sZ | 485.9 | 292 | SupplierStandard | 241 | 20 |
| 103102303070329 | 23 | 1,960 | Bright | zS | 485.9 | 292 | SupplierStandard | 241 | 20 |
| 103102303270329 | 23 | 1,960 | Galvanized | zS | 485.9 | 292 | SupplierStandard | 241 | 20 |
| 103102305070329 | 23 | 1,960 | Bright | sS | 485.9 | 292 | SupplierStandard | 241 | 20 |
| 103102305270329 | 23 | 1,960 | Galvanized | sS | 485.9 | 292 | SupplierStandard | 241 | 20 |
| 103102306070329 | 23 | 1,960 | Bright | zZ | 485.9 | 292 | SupplierStandard | 241 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103102306270329 | 23 | 1,960 | Galvanized | zZ | 485.9 | 292 | SupplierStandard | 241 | 20 |
| 103102304100329 | 23 | 2,160 | Bright | sZ | 525.7 | 292 | SupplierStandard | 241 | 20 |
| 103102304300329 | 23 | 2,160 | Galvanized | sZ | 525.7 | 292 | SupplierStandard | 241 | 20 |
| 103102303100329 | 23 | 2,160 | Bright | zS | 525.7 | 292 | SupplierStandard | 241 | 20 |
| 103102303300329 | 23 | 2,160 | Galvanized | zS | 525.7 | 292 | SupplierStandard | 241 | 20 |
| 103102305100329 | 23 | 2,160 | Bright | sS | 525.7 | 292 | SupplierStandard | 241 | 20 |
| 103102305300329 | 23 | 2,160 | Galvanized | sS | 525.7 | 292 | SupplierStandard | 241 | 20 |
| 103102306100329 | 23 | 2,160 | Bright | zZ | 525.7 | 292 | SupplierStandard | 241 | 20 |
| 103102306300329 | 23 | 2,160 | Galvanized | zZ | 525.7 | 292 | SupplierStandard | 241 | 20 |
| 103102404070329 | 24 | 1,960 | Bright | sZ | 529.1 | 318 | SupplierStandard | 262 | 20 |
| 103102404270329 | 24 | 1,960 | Galvanized | sZ | 529.1 | 318 | SupplierStandard | 262 | 20 |
| 103102403070329 | 24 | 1,960 | Bright | zS | 529.1 | 318 | SupplierStandard | 262 | 20 |
| 103102403270329 | 24 | 1,960 | Galvanized | zS | 529.1 | 318 | SupplierStandard | 262 | 20 |
| 103102405070329 | 24 | 1,960 | Bright | sS | 529.1 | 318 | SupplierStandard | 262 | 20 |
| 103102405270329 | 24 | 1,960 | Galvanized | sS | 529.1 | 318 | SupplierStandard | 262 | 20 |
| 103102406070329 | 24 | 1,960 | Bright | zZ | 529.1 | 318 | SupplierStandard | 262 | 20 |
| 103102406270329 | 24 | 1,960 | Galvanized | zZ | 529.1 | 318 | SupplierStandard | 262 | 20 |
| 103102404100329 | 24 | 2,160 | Bright | sZ | 572.4 | 318 | SupplierStandard | 262 | 20 |
| 103102404300329 | 24 | 2,160 | Galvanized | sZ | 572.4 | 318 | SupplierStandard | 262 | 20 |
| 103102403100329 | 24 | 2,160 | Bright | zS | 572.4 | 318 | SupplierStandard | 262 | 20 |
| 103102403300329 | 24 | 2,160 | Galvanized | zS | 572.4 | 318 | SupplierStandard | 262 | 20 |
| 103102405100329 | 24 | 2,160 | Bright | sS | 572.4 | 318 | SupplierStandard | 262 | 20 |
| 103102405300329 | 24 | 2,160 | Galvanized | sS | 572.4 | 318 | SupplierStandard | 262 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103102406100329 | 24 | 2,160 | Bright | zZ | 572.4 | 318 | SupplierStandard | 262 | 20 |
| 103102406300329 | 24 | 2,160 | Galvanized | zZ | 572.4 | 318 | SupplierStandard | 262 | 20 |
| 103102504070329 | 25 | 1,960 | Bright | sZ | 574.1 | 345 | SupplierStandard | 284 | 20 |
| 103102504270329 | 25 | 1,960 | Galvanized | sZ | 574.1 | 345 | SupplierStandard | 284 | 20 |
| 103102503070329 | 25 | 1,960 | Bright | zS | 574.1 | 345 | SupplierStandard | 284 | 20 |
| 103102503270329 | 25 | 1,960 | Galvanized | zS | 574.1 | 345 | SupplierStandard | 284 | 20 |
| 103102505070329 | 25 | 1,960 | Bright | sS | 574.1 | 345 | SupplierStandard | 284 | 20 |
| 103102505270329 | 25 | 1,960 | Galvanized | sS | 574.1 | 345 | SupplierStandard | 284 | 20 |
| 103102506070329 | 25 | 1,960 | Bright | zZ | 574.1 | 345 | SupplierStandard | 284 | 20 |
| 103102506270329 | 25 | 1,960 | Galvanized | zZ | 574.1 | 345 | SupplierStandard | 284 | 20 |
| 103102504100329 | 25 | 2,160 | Bright | sZ | 621.1 | 345 | SupplierStandard | 284 | 20 |
| 103102504300329 | 25 | 2,160 | Galvanized | sZ | 621.1 | 345 | SupplierStandard | 284 | 20 |
| 103102503100329 | 25 | 2,160 | Bright | zS | 621.1 | 345 | SupplierStandard | 284 | 20 |
| 103102503300329 | 25 | 2,160 | Galvanized | zS | 621.1 | 345 | SupplierStandard | 284 | 20 |
| 103102505100329 | 25 | 2,160 | Bright | sS | 621.1 | 345 | SupplierStandard | 284 | 20 |
| 103102505300329 | 25 | 2,160 | Galvanized | sS | 621.1 | 345 | SupplierStandard | 284 | 20 |
| 103102506100329 | 25 | 2,160 | Bright | zZ | 621.1 | 345 | SupplierStandard | 284 | 20 |
| 103102506300329 | 25 | 2,160 | Galvanized | zZ | 621.1 | 345 | SupplierStandard | 284 | 20 |
| 103102604070329 | 26 | 1,960 | Bright | sZ | 620.9 | 373 | SupplierStandard | 308 | 20 |
| 103102604270329 | 26 | 1,960 | Galvanized | sZ | 620.9 | 373 | SupplierStandard | 308 | 20 |
| 103102603070329 | 26 | 1,960 | Bright | zS | 620.9 | 373 | SupplierStandard | 308 | 20 |
| 103102603270329 | 26 | 1,960 | Galvanized | zS | 620.9 | 373 | SupplierStandard | 308 | 20 |
| 103102605070329 | 26 | 1,960 | Bright | sS | 620.9 | 373 | SupplierStandard | 308 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103102605270329 | 26 | 1,960 | Galvanized | sS | 620.9 | 373 | SupplierStandard | 308 | 20 |
| 103102606070329 | 26 | 1,960 | Bright | zZ | 620.9 | 373 | SupplierStandard | 308 | 20 |
| 103102606270329 | 26 | 1,960 | Galvanized | zZ | 620.9 | 373 | SupplierStandard | 308 | 20 |
| 103102604100329 | 26 | 2,160 | Bright | sZ | 671.7 | 373 | SupplierStandard | 308 | 20 |
| 103102604300329 | 26 | 2,160 | Galvanized | sZ | 671.7 | 373 | SupplierStandard | 308 | 20 |
| 103102603100329 | 26 | 2,160 | Bright | zS | 671.7 | 373 | SupplierStandard | 308 | 20 |
| 103102603300329 | 26 | 2,160 | Galvanized | zS | 671.7 | 373 | SupplierStandard | 308 | 20 |
| 103102605100329 | 26 | 2,160 | Bright | sS | 671.7 | 373 | SupplierStandard | 308 | 20 |
| 103102605300329 | 26 | 2,160 | Galvanized | sS | 671.7 | 373 | SupplierStandard | 308 | 20 |
| 103102606100329 | 26 | 2,160 | Bright | zZ | 671.7 | 373 | SupplierStandard | 308 | 20 |
| 103102606300329 | 26 | 2,160 | Galvanized | zZ | 671.7 | 373 | SupplierStandard | 308 | 20 |
| 103102704070329 | 27 | 1,960 | Bright | sZ | 669.6 | 402 | SupplierStandard | 332 | 20 |
| 103102704270329 | 27 | 1,960 | Galvanized | sZ | 669.6 | 402 | SupplierStandard | 332 | 20 |
| 103102703070329 | 27 | 1,960 | Bright | zS | 669.6 | 402 | SupplierStandard | 332 | 20 |
| 103102703270329 | 27 | 1,960 | Galvanized | zS | 669.6 | 402 | SupplierStandard | 332 | 20 |
| 103102705070329 | 27 | 1,960 | Bright | sS | 669.6 | 402 | SupplierStandard | 332 | 20 |
| 103102705270329 | 27 | 1,960 | Galvanized | sS | 669.6 | 402 | SupplierStandard | 332 | 20 |
| 103102706070329 | 27 | 1,960 | Bright | zZ | 669.6 | 402 | SupplierStandard | 332 | 20 |
| 103102706270329 | 27 | 1,960 | Galvanized | zZ | 669.6 | 402 | SupplierStandard | 332 | 20 |
| 103102704100329 | 27 | 2,160 | Bright | sZ | 724.4 | 402 | SupplierStandard | 332 | 20 |
| 103102704300329 | 27 | 2,160 | Galvanized | sZ | 724.4 | 402 | SupplierStandard | 332 | 20 |
| 103102703100329 | 27 | 2,160 | Bright | zS | 724.4 | 402 | SupplierStandard | 332 | 20 |
| 103102703300329 | 27 | 2,160 | Galvanized | zS | 724.4 | 402 | SupplierStandard | 332 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103102705100329 | 27 | 2,160 | Bright | sS | 724.4 | 402 | SupplierStandard | 332 | 20 |
| 103102705300329 | 27 | 2,160 | Galvanized | sS | 724.4 | 402 | SupplierStandard | 332 | 20 |
| 103102706100329 | 27 | 2,160 | Bright | zZ | 724.4 | 402 | SupplierStandard | 332 | 20 |
| 103102706300329 | 27 | 2,160 | Galvanized | zZ | 724.4 | 402 | SupplierStandard | 332 | 20 |
| 103102804070329 | 28 | 1,960 | Bright | sZ | 720.1 | 432 | SupplierStandard | 357 | 20 |
| 103102804270329 | 28 | 1,960 | Galvanized | sZ | 720.1 | 432 | SupplierStandard | 357 | 20 |
| 103102803070329 | 28 | 1,960 | Bright | zS | 720.1 | 432 | SupplierStandard | 357 | 20 |
| 103102803270329 | 28 | 1,960 | Galvanized | zS | 720.1 | 432 | SupplierStandard | 357 | 20 |
| 103102805070329 | 28 | 1,960 | Bright | sS | 720.1 | 432 | SupplierStandard | 357 | 20 |
| 103102805270329 | 28 | 1,960 | Galvanized | sS | 720.1 | 432 | SupplierStandard | 357 | 20 |
| 103102806070329 | 28 | 1,960 | Bright | zZ | 720.1 | 432 | SupplierStandard | 357 | 20 |
| 103102806270329 | 28 | 1,960 | Galvanized | zZ | 720.1 | 432 | SupplierStandard | 357 | 20 |
| 103102804100329 | 28 | 2,160 | Bright | sZ | 779.1 | 432 | SupplierStandard | 357 | 20 |
| 103102804300329 | 28 | 2,160 | Galvanized | sZ | 779.1 | 432 | SupplierStandard | 357 | 20 |
| 103102803100329 | 28 | 2,160 | Bright | zS | 779.1 | 432 | SupplierStandard | 357 | 20 |
| 103102803300329 | 28 | 2,160 | Galvanized | zS | 779.1 | 432 | SupplierStandard | 357 | 20 |
| 103102805100329 | 28 | 2,160 | Bright | sS | 779.1 | 432 | SupplierStandard | 357 | 20 |
| 103102805300329 | 28 | 2,160 | Galvanized | sS | 779.1 | 432 | SupplierStandard | 357 | 20 |
| 103102806100329 | 28 | 2,160 | Bright | zZ | 779.1 | 432 | SupplierStandard | 357 | 20 |
| 103102806300329 | 28 | 2,160 | Galvanized | zZ | 779.1 | 432 | SupplierStandard | 357 | 20 |
| 103102904070329 | 29 | 1,960 | Bright | sZ | 772.5 | 464 | SupplierStandard | 383 | 20 |
| 103102904270329 | 29 | 1,960 | Galvanized | sZ | 772.5 | 464 | SupplierStandard | 383 | 20 |
| 103102903070329 | 29 | 1,960 | Bright | zS | 772.5 | 464 | SupplierStandard | 383 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103102903270329 | 29 | 1,960 | Galvanized | zS | 772.5 | 464 | SupplierStandard | 383 | 20 |
| 103102905070329 | 29 | 1,960 | Bright | sS | 772.5 | 464 | SupplierStandard | 383 | 20 |
| 103102905270329 | 29 | 1,960 | Galvanized | sS | 772.5 | 464 | SupplierStandard | 383 | 20 |
| 103102906070329 | 29 | 1,960 | Bright | zZ | 772.5 | 464 | SupplierStandard | 383 | 20 |
| 103102906270329 | 29 | 1,960 | Galvanized | zZ | 772.5 | 464 | SupplierStandard | 383 | 20 |
| 103102904100329 | 29 | 2,160 | Bright | sZ | 835.7 | 464 | SupplierStandard | 383 | 20 |
| 103102904300329 | 29 | 2,160 | Galvanized | sZ | 835.7 | 464 | SupplierStandard | 383 | 20 |
| 103102903100329 | 29 | 2,160 | Bright | zS | 835.7 | 464 | SupplierStandard | 383 | 20 |
| 103102903300329 | 29 | 2,160 | Galvanized | zS | 835.7 | 464 | SupplierStandard | 383 | 20 |
| 103102905100329 | 29 | 2,160 | Bright | sS | 835.7 | 464 | SupplierStandard | 383 | 20 |
| 103102905300329 | 29 | 2,160 | Galvanized | sS | 835.7 | 464 | SupplierStandard | 383 | 20 |
| 103102906100329 | 29 | 2,160 | Bright | zZ | 835.7 | 464 | SupplierStandard | 383 | 20 |
| 103102906300329 | 29 | 2,160 | Galvanized | zZ | 835.7 | 464 | SupplierStandard | 383 | 20 |
| 103103004070329 | 30 | 1,960 | Bright | sZ | 826.7 | 496 | SupplierStandard | 409 | 20 |
| 103103004270329 | 30 | 1,960 | Galvanized | sZ | 826.7 | 496 | SupplierStandard | 409 | 20 |
| 103103003070329 | 30 | 1,960 | Bright | zS | 826.7 | 496 | SupplierStandard | 409 | 20 |
| 103103003270329 | 30 | 1,960 | Galvanized | zS | 826.7 | 496 | SupplierStandard | 409 | 20 |
| 103103005070329 | 30 | 1,960 | Bright | sS | 826.7 | 496 | SupplierStandard | 409 | 20 |
| 103103005270329 | 30 | 1,960 | Galvanized | sS | 826.7 | 496 | SupplierStandard | 409 | 20 |
| 103103006070329 | 30 | 1,960 | Bright | zZ | 826.7 | 496 | SupplierStandard | 409 | 20 |
| 103103006270329 | 30 | 1,960 | Galvanized | zZ | 826.7 | 496 | SupplierStandard | 409 | 20 |
| 103103004100329 | 30 | 2,160 | Bright | sZ | 894.3 | 496 | SupplierStandard | 409 | 20 |
| 103103004300329 | 30 | 2,160 | Galvanized | sZ | 894.3 | 496 | SupplierStandard | 409 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103103003100329 | 30 | 2,160 | Bright | zS | 894.3 | 496 | SupplierStandard | 409 | 20 |
| 103103003300329 | 30 | 2,160 | Galvanized | zS | 894.3 | 496 | SupplierStandard | 409 | 20 |
| 103103005100329 | 30 | 2,160 | Bright | sS | 894.3 | 496 | SupplierStandard | 409 | 20 |
| 103103005300329 | 30 | 2,160 | Galvanized | sS | 894.3 | 496 | SupplierStandard | 409 | 20 |
| 103103006100329 | 30 | 2,160 | Bright | zZ | 894.3 | 496 | SupplierStandard | 409 | 20 |
| 103103006300329 | 30 | 2,160 | Galvanized | zZ | 894.3 | 496 | SupplierStandard | 409 | 20 |
| 103103104070329 | 31 | 1,960 | Bright | sZ | 882.7 | 530 | SupplierStandard | 437 | 20 |
| 103103104270329 | 31 | 1,960 | Galvanized | sZ | 882.7 | 530 | SupplierStandard | 437 | 20 |
| 103103103070329 | 31 | 1,960 | Bright | zS | 882.7 | 530 | SupplierStandard | 437 | 20 |
| 103103103270329 | 31 | 1,960 | Galvanized | zS | 882.7 | 530 | SupplierStandard | 437 | 20 |
| 103103105070329 | 31 | 1,960 | Bright | sS | 882.7 | 530 | SupplierStandard | 437 | 20 |
| 103103105270329 | 31 | 1,960 | Galvanized | sS | 882.7 | 530 | SupplierStandard | 437 | 20 |
| 103103106070329 | 31 | 1,960 | Bright | zZ | 882.7 | 530 | SupplierStandard | 437 | 20 |
| 103103106270329 | 31 | 1,960 | Galvanized | zZ | 882.7 | 530 | SupplierStandard | 437 | 20 |
| 103103104100329 | 31 | 2,160 | Bright | sZ | 954.9 | 530 | SupplierStandard | 437 | 20 |
| 103103104300329 | 31 | 2,160 | Galvanized | sZ | 954.9 | 530 | SupplierStandard | 437 | 20 |
| 103103103100329 | 31 | 2,160 | Bright | zS | 954.9 | 530 | SupplierStandard | 437 | 20 |
| 103103103300329 | 31 | 2,160 | Galvanized | zS | 954.9 | 530 | SupplierStandard | 437 | 20 |
| 103103105100329 | 31 | 2,160 | Bright | sS | 954.9 | 530 | SupplierStandard | 437 | 20 |
| 103103105300329 | 31 | 2,160 | Galvanized | sS | 954.9 | 530 | SupplierStandard | 437 | 20 |
| 103103106100329 | 31 | 2,160 | Bright | zZ | 954.9 | 530 | SupplierStandard | 437 | 20 |
| 103103106300329 | 31 | 2,160 | Galvanized | zZ | 954.9 | 530 | SupplierStandard | 437 | 20 |
| 103103204070329 | 32 | 1,960 | Bright | sZ | 940.6 | 565 | SupplierStandard | 466 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103103204270329 | 32 | 1,960 | Galvanized | sZ | 940.6 | 565 | SupplierStandard | 466 | 20 |
| 103103203070329 | 32 | 1,960 | Bright | zS | 940.6 | 565 | SupplierStandard | 466 | 20 |
| 103103203270329 | 32 | 1,960 | Galvanized | zS | 940.6 | 565 | SupplierStandard | 466 | 20 |
| 103103205070329 | 32 | 1,960 | Bright | sS | 940.6 | 565 | SupplierStandard | 466 | 20 |
| 103103205270329 | 32 | 1,960 | Galvanized | sS | 940.6 | 565 | SupplierStandard | 466 | 20 |
| 103103206070329 | 32 | 1,960 | Bright | zZ | 940.6 | 565 | SupplierStandard | 466 | 20 |
| 103103206270329 | 32 | 1,960 | Galvanized | zZ | 940.6 | 565 | SupplierStandard | 466 | 20 |
| 103103204100329 | 32 | 2,160 | Bright | sZ | 1,018 | 565 | SupplierStandard | 466 | 20 |
| 103103204300329 | 32 | 2,160 | Galvanized | sZ | 1,018 | 565 | SupplierStandard | 466 | 20 |
| 103103203100329 | 32 | 2,160 | Bright | zS | 1,018 | 565 | SupplierStandard | 466 | 20 |
| 103103203300329 | 32 | 2,160 | Galvanized | zS | 1,018 | 565 | SupplierStandard | 466 | 20 |
| 103103205100329 | 32 | 2,160 | Bright | sS | 1,018 | 565 | SupplierStandard | 466 | 20 |
| 103103205300329 | 32 | 2,160 | Galvanized | sS | 1,018 | 565 | SupplierStandard | 466 | 20 |
| 103103206100329 | 32 | 2,160 | Bright | zZ | 1,018 | 565 | SupplierStandard | 466 | 20 |
| 103103206300329 | 32 | 2,160 | Galvanized | zZ | 1,018 | 565 | SupplierStandard | 466 | 20 |
| 103103304070329 | 33 | 1,960 | Bright | sZ | 1,000 | 600 | SupplierStandard | 495 | 20 |
| 103103304270329 | 33 | 1,960 | Galvanized | sZ | 1,000 | 600 | SupplierStandard | 495 | 20 |
| 103103303070329 | 33 | 1,960 | Bright | zS | 1,000 | 600 | SupplierStandard | 495 | 20 |
| 103103303270329 | 33 | 1,960 | Galvanized | zS | 1,000 | 600 | SupplierStandard | 495 | 20 |
| 103103305070329 | 33 | 1,960 | Bright | sS | 1,000 | 600 | SupplierStandard | 495 | 20 |
| 103103305270329 | 33 | 1,960 | Galvanized | sS | 1,000 | 600 | SupplierStandard | 495 | 20 |
| 103103306070329 | 33 | 1,960 | Bright | zZ | 1,000 | 600 | SupplierStandard | 495 | 20 |
| 103103306270329 | 33 | 1,960 | Galvanized | zZ | 1,000 | 600 | SupplierStandard | 495 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103103304100329 | 33 | 2,160 | Bright | sZ | 1,082 | 600 | SupplierStandard | 495 | 20 |
| 103103304300329 | 33 | 2,160 | Galvanized | sZ | 1,082 | 600 | SupplierStandard | 495 | 20 |
| 103103303100329 | 33 | 2,160 | Bright | zS | 1,082 | 600 | SupplierStandard | 495 | 20 |
| 103103303300329 | 33 | 2,160 | Galvanized | zS | 1,082 | 600 | SupplierStandard | 495 | 20 |
| 103103305100329 | 33 | 2,160 | Bright | sS | 1,082 | 600 | SupplierStandard | 495 | 20 |
| 103103305300329 | 33 | 2,160 | Galvanized | sS | 1,082 | 600 | SupplierStandard | 495 | 20 |
| 103103306100329 | 33 | 2,160 | Bright | zZ | 1,082 | 600 | SupplierStandard | 495 | 20 |
| 103103306300329 | 33 | 2,160 | Galvanized | zZ | 1,082 | 600 | SupplierStandard | 495 | 20 |
| 103103404070329 | 34 | 1,960 | Bright | sZ | 1,062 | 637 | SupplierStandard | 526 | 20 |
| 103103404270329 | 34 | 1,960 | Galvanized | sZ | 1,062 | 637 | SupplierStandard | 526 | 20 |
| 103103403070329 | 34 | 1,960 | Bright | zS | 1,062 | 637 | SupplierStandard | 526 | 20 |
| 103103403270329 | 34 | 1,960 | Galvanized | zS | 1,062 | 637 | SupplierStandard | 526 | 20 |
| 103103405070329 | 34 | 1,960 | Bright | sS | 1,062 | 637 | SupplierStandard | 526 | 20 |
| 103103405270329 | 34 | 1,960 | Galvanized | sS | 1,062 | 637 | SupplierStandard | 526 | 20 |
| 103103406070329 | 34 | 1,960 | Bright | zZ | 1,062 | 637 | SupplierStandard | 526 | 20 |
| 103103406270329 | 34 | 1,960 | Galvanized | zZ | 1,062 | 637 | SupplierStandard | 526 | 20 |
| 103103404100329 | 34 | 2,160 | Bright | sZ | 1,149 | 637 | SupplierStandard | 526 | 20 |
| 103103404300329 | 34 | 2,160 | Galvanized | sZ | 1,149 | 637 | SupplierStandard | 526 | 20 |
| 103103403100329 | 34 | 2,160 | Bright | zS | 1,149 | 637 | SupplierStandard | 526 | 20 |
| 103103403300329 | 34 | 2,160 | Galvanized | zS | 1,149 | 637 | SupplierStandard | 526 | 20 |
| 103103405100329 | 34 | 2,160 | Bright | sS | 1,149 | 637 | SupplierStandard | 526 | 20 |
| 103103405300329 | 34 | 2,160 | Galvanized | sS | 1,149 | 637 | SupplierStandard | 526 | 20 |
| 103103406100329 | 34 | 2,160 | Bright | zZ | 1,149 | 637 | SupplierStandard | 526 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103103406300329 | 34 | 2,160 | Galvanized | zZ | 1,149 | 637 | SupplierStandard | 526 | 20 |
| 103103504070329 | 35 | 1,960 | Bright | sZ | 1,125 | 675 | SupplierStandard | 557 | 20 |
| 103103504270329 | 35 | 1,960 | Galvanized | sZ | 1,125 | 675 | SupplierStandard | 557 | 20 |
| 103103503070329 | 35 | 1,960 | Bright | zS | 1,125 | 675 | SupplierStandard | 557 | 20 |
| 103103503270329 | 35 | 1,960 | Galvanized | zS | 1,125 | 675 | SupplierStandard | 557 | 20 |
| 103103505070329 | 35 | 1,960 | Bright | sS | 1,125 | 675 | SupplierStandard | 557 | 20 |
| 103103505270329 | 35 | 1,960 | Galvanized | sS | 1,125 | 675 | SupplierStandard | 557 | 20 |
| 103103506070329 | 35 | 1,960 | Bright | zZ | 1,125 | 675 | SupplierStandard | 557 | 20 |
| 103103506270329 | 35 | 1,960 | Galvanized | zZ | 1,125 | 675 | SupplierStandard | 557 | 20 |
| 103103504100329 | 35 | 2,160 | Bright | sZ | 1,217 | 675 | SupplierStandard | 557 | 20 |
| 103103504300329 | 35 | 2,160 | Galvanized | sZ | 1,217 | 675 | SupplierStandard | 557 | 20 |
| 103103503100329 | 35 | 2,160 | Bright | zS | 1,217 | 675 | SupplierStandard | 557 | 20 |
| 103103503300329 | 35 | 2,160 | Galvanized | zS | 1,217 | 675 | SupplierStandard | 557 | 20 |
| 103103505100329 | 35 | 2,160 | Bright | sS | 1,217 | 675 | SupplierStandard | 557 | 20 |
| 103103505300329 | 35 | 2,160 | Galvanized | sS | 1,217 | 675 | SupplierStandard | 557 | 20 |
| 103103506100329 | 35 | 2,160 | Bright | zZ | 1,217 | 675 | SupplierStandard | 557 | 20 |
| 103103506300329 | 35 | 2,160 | Galvanized | zZ | 1,217 | 675 | SupplierStandard | 557 | 20 |
| 103103604070329 | 36 | 1,960 | Bright | sZ | 1,190 | 715 | SupplierStandard | 590 | 20 |
| 103103604270329 | 36 | 1,960 | Galvanized | sZ | 1,190 | 715 | SupplierStandard | 590 | 20 |
| 103103603070329 | 36 | 1,960 | Bright | zS | 1,190 | 715 | SupplierStandard | 590 | 20 |
| 103103603270329 | 36 | 1,960 | Galvanized | zS | 1,190 | 715 | SupplierStandard | 590 | 20 |
| 103103605070329 | 36 | 1,960 | Bright | sS | 1,190 | 715 | SupplierStandard | 590 | 20 |
| 103103605270329 | 36 | 1,960 | Galvanized | sS | 1,190 | 715 | SupplierStandard | 590 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103103606070329 | 36 | 1,960 | Bright | zZ | 1,190 | 715 | SupplierStandard | 590 | 20 |
| 103103606270329 | 36 | 1,960 | Galvanized | zZ | 1,190 | 715 | SupplierStandard | 590 | 20 |
| 103103604100329 | 36 | 2,160 | Bright | sZ | 1,288 | 715 | SupplierStandard | 590 | 20 |
| 103103604300329 | 36 | 2,160 | Galvanized | sZ | 1,288 | 715 | SupplierStandard | 590 | 20 |
| 103103603100329 | 36 | 2,160 | Bright | zS | 1,288 | 715 | SupplierStandard | 590 | 20 |
| 103103603300329 | 36 | 2,160 | Galvanized | zS | 1,288 | 715 | SupplierStandard | 590 | 20 |
| 103103605100329 | 36 | 2,160 | Bright | sS | 1,288 | 715 | SupplierStandard | 590 | 20 |
| 103103605300329 | 36 | 2,160 | Galvanized | sS | 1,288 | 715 | SupplierStandard | 590 | 20 |
| 103103606100329 | 36 | 2,160 | Bright | zZ | 1,288 | 715 | SupplierStandard | 590 | 20 |
| 103103606300329 | 36 | 2,160 | Galvanized | zZ | 1,288 | 715 | SupplierStandard | 590 | 20 |
| 103103704070329 | 37 | 1,960 | Bright | sZ | 1,257 | 755 | SupplierStandard | 623 | 20 |
| 103103704270329 | 37 | 1,960 | Galvanized | sZ | 1,257 | 755 | SupplierStandard | 623 | 20 |
| 103103703070329 | 37 | 1,960 | Bright | zS | 1,257 | 755 | SupplierStandard | 623 | 20 |
| 103103703270329 | 37 | 1,960 | Galvanized | zS | 1,257 | 755 | SupplierStandard | 623 | 20 |
| 103103705070329 | 37 | 1,960 | Bright | sS | 1,257 | 755 | SupplierStandard | 623 | 20 |
| 103103705270329 | 37 | 1,960 | Galvanized | sS | 1,257 | 755 | SupplierStandard | 623 | 20 |
| 103103706070329 | 37 | 1,960 | Bright | zZ | 1,257 | 755 | SupplierStandard | 623 | 20 |
| 103103706270329 | 37 | 1,960 | Galvanized | zZ | 1,257 | 755 | SupplierStandard | 623 | 20 |
| 103103704100329 | 37 | 2,160 | Bright | sZ | 1,360 | 755 | SupplierStandard | 623 | 20 |
| 103103704300329 | 37 | 2,160 | Galvanized | sZ | 1,360 | 755 | SupplierStandard | 623 | 20 |
| 103103703100329 | 37 | 2,160 | Bright | zS | 1,360 | 755 | SupplierStandard | 623 | 20 |
| 103103703300329 | 37 | 2,160 | Galvanized | zS | 1,360 | 755 | SupplierStandard | 623 | 20 |
| 103103705100329 | 37 | 2,160 | Bright | sS | 1,360 | 755 | SupplierStandard | 623 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103103705300329 | 37 | 2,160 | Galvanized | sS | 1,360 | 755 | SupplierStandard | 623 | 20 |
| 103103706100329 | 37 | 2,160 | Bright | zZ | 1,360 | 755 | SupplierStandard | 623 | 20 |
| 103103706300329 | 37 | 2,160 | Galvanized | zZ | 1,360 | 755 | SupplierStandard | 623 | 20 |
| 103103804070329 | 38 | 1,960 | Bright | sZ | 1,326 | 796 | SupplierStandard | 657 | 20 |
| 103103804270329 | 38 | 1,960 | Galvanized | sZ | 1,326 | 796 | SupplierStandard | 657 | 20 |
| 103103803070329 | 38 | 1,960 | Bright | zS | 1,326 | 796 | SupplierStandard | 657 | 20 |
| 103103803270329 | 38 | 1,960 | Galvanized | zS | 1,326 | 796 | SupplierStandard | 657 | 20 |
| 103103805070329 | 38 | 1,960 | Bright | sS | 1,326 | 796 | SupplierStandard | 657 | 20 |
| 103103805270329 | 38 | 1,960 | Galvanized | sS | 1,326 | 796 | SupplierStandard | 657 | 20 |
| 103103806070329 | 38 | 1,960 | Bright | zZ | 1,326 | 796 | SupplierStandard | 657 | 20 |
| 103103806270329 | 38 | 1,960 | Galvanized | zZ | 1,326 | 796 | SupplierStandard | 657 | 20 |
| 103103804100329 | 38 | 2,160 | Bright | sZ | 1,435 | 796 | SupplierStandard | 657 | 20 |
| 103103804300329 | 38 | 2,160 | Galvanized | sZ | 1,435 | 796 | SupplierStandard | 657 | 20 |
| 103103803100329 | 38 | 2,160 | Bright | zS | 1,435 | 796 | SupplierStandard | 657 | 20 |
| 103103803300329 | 38 | 2,160 | Galvanized | zS | 1,435 | 796 | SupplierStandard | 657 | 20 |
| 103103805100329 | 38 | 2,160 | Bright | sS | 1,435 | 796 | SupplierStandard | 657 | 20 |
| 103103805300329 | 38 | 2,160 | Galvanized | sS | 1,435 | 796 | SupplierStandard | 657 | 20 |
| 103103806100329 | 38 | 2,160 | Bright | zZ | 1,435 | 796 | SupplierStandard | 657 | 20 |
| 103103806300329 | 38 | 2,160 | Galvanized | zZ | 1,435 | 796 | SupplierStandard | 657 | 20 |
| 103103904070329 | 39 | 1,960 | Bright | sZ | 1,397 | 839 | SupplierStandard | 692 | 20 |
| 103103904270329 | 39 | 1,960 | Galvanized | sZ | 1,397 | 839 | SupplierStandard | 692 | 20 |
| 103103903070329 | 39 | 1,960 | Bright | zS | 1,397 | 839 | SupplierStandard | 692 | 20 |
| 103103903270329 | 39 | 1,960 | Galvanized | zS | 1,397 | 839 | SupplierStandard | 692 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103103905070329 | 39 | 1,960 | Bright | sS | 1,397 | 839 | SupplierStandard | 692 | 20 |
| 103103905270329 | 39 | 1,960 | Galvanized | sS | 1,397 | 839 | SupplierStandard | 692 | 20 |
| 103103906070329 | 39 | 1,960 | Bright | zZ | 1,397 | 839 | SupplierStandard | 692 | 20 |
| 103103906270329 | 39 | 1,960 | Galvanized | zZ | 1,397 | 839 | SupplierStandard | 692 | 20 |
| 103103904100329 | 39 | 2,160 | Bright | sZ | 1,511 | 839 | SupplierStandard | 692 | 20 |
| 103103904300329 | 39 | 2,160 | Galvanized | sZ | 1,511 | 839 | SupplierStandard | 692 | 20 |
| 103103903100329 | 39 | 2,160 | Bright | zS | 1,511 | 839 | SupplierStandard | 692 | 20 |
| 103103903300329 | 39 | 2,160 | Galvanized | zS | 1,511 | 839 | SupplierStandard | 692 | 20 |
| 103103905100329 | 39 | 2,160 | Bright | sS | 1,511 | 839 | SupplierStandard | 692 | 20 |
| 103103905300329 | 39 | 2,160 | Galvanized | sS | 1,511 | 839 | SupplierStandard | 692 | 20 |
| 103103906100329 | 39 | 2,160 | Bright | zZ | 1,511 | 839 | SupplierStandard | 692 | 20 |
| 103103906300329 | 39 | 2,160 | Galvanized | zZ | 1,511 | 839 | SupplierStandard | 692 | 20 |
| 103104004070329 | 40 | 1,960 | Bright | sZ | 1,470 | 882 | SupplierStandard | 728 | 20 |
| 103104004270329 | 40 | 1,960 | Galvanized | sZ | 1,470 | 882 | SupplierStandard | 728 | 20 |
| 103104003070329 | 40 | 1,960 | Bright | zS | 1,470 | 882 | SupplierStandard | 728 | 20 |
| 103104003270329 | 40 | 1,960 | Galvanized | zS | 1,470 | 882 | SupplierStandard | 728 | 20 |
| 103104005070329 | 40 | 1,960 | Bright | sS | 1,470 | 882 | SupplierStandard | 728 | 20 |
| 103104005270329 | 40 | 1,960 | Galvanized | sS | 1,470 | 882 | SupplierStandard | 728 | 20 |
| 103104006070329 | 40 | 1,960 | Bright | zZ | 1,470 | 882 | SupplierStandard | 728 | 20 |
| 103104006270329 | 40 | 1,960 | Galvanized | zZ | 1,470 | 882 | SupplierStandard | 728 | 20 |
| 103104004100329 | 40 | 2,160 | Bright | sZ | 1,590 | 882 | SupplierStandard | 728 | 20 |
| 103104004300329 | 40 | 2,160 | Galvanized | sZ | 1,590 | 882 | SupplierStandard | 728 | 20 |
| 103104003100329 | 40 | 2,160 | Bright | zS | 1,590 | 882 | SupplierStandard | 728 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-----|------------------|-----|----|
| 103104003300329 | 40 | 2,160 | Galvanized | zS | 1,590 | 882 | SupplierStandard | 728 | 20 |
| 103104005100329 | 40 | 2,160 | Bright | sS | 1,590 | 882 | SupplierStandard | 728 | 20 |
| 103104005300329 | 40 | 2,160 | Galvanized | sS | 1,590 | 882 | SupplierStandard | 728 | 20 |
| 103104006100329 | 40 | 2,160 | Bright | zZ | 1,590 | 882 | SupplierStandard | 728 | 20 |
| 103104006300329 | 40 | 2,160 | Galvanized | zZ | 1,590 | 882 | SupplierStandard | 728 | 20 |
| 103104104070329 | 41 | 1,960 | Bright | sZ | 1,544 | 927 | SupplierStandard | 765 | 20 |
| 103104104270329 | 41 | 1,960 | Galvanized | sZ | 1,544 | 927 | SupplierStandard | 765 | 20 |
| 103104103070329 | 41 | 1,960 | Bright | zS | 1,544 | 927 | SupplierStandard | 765 | 20 |
| 103104103270329 | 41 | 1,960 | Galvanized | zS | 1,544 | 927 | SupplierStandard | 765 | 20 |
| 103104105070329 | 41 | 1,960 | Bright | sS | 1,544 | 927 | SupplierStandard | 765 | 20 |
| 103104105270329 | 41 | 1,960 | Galvanized | sS | 1,544 | 927 | SupplierStandard | 765 | 20 |
| 103104106070329 | 41 | 1,960 | Bright | zZ | 1,544 | 927 | SupplierStandard | 765 | 20 |
| 103104106270329 | 41 | 1,960 | Galvanized | zZ | 1,544 | 927 | SupplierStandard | 765 | 20 |
| 103104104100329 | 41 | 2,160 | Bright | sZ | 1,670 | 927 | SupplierStandard | 765 | 20 |
| 103104104300329 | 41 | 2,160 | Galvanized | sZ | 1,670 | 927 | SupplierStandard | 765 | 20 |
| 103104103100329 | 41 | 2,160 | Bright | zS | 1,670 | 927 | SupplierStandard | 765 | 20 |
| 103104103300329 | 41 | 2,160 | Galvanized | zS | 1,670 | 927 | SupplierStandard | 765 | 20 |
| 103104105100329 | 41 | 2,160 | Bright | sS | 1,670 | 927 | SupplierStandard | 765 | 20 |
| 103104105300329 | 41 | 2,160 | Galvanized | sS | 1,670 | 927 | SupplierStandard | 765 | 20 |
| 103104106100329 | 41 | 2,160 | Bright | zZ | 1,670 | 927 | SupplierStandard | 765 | 20 |
| 103104106300329 | 41 | 2,160 | Galvanized | zZ | 1,670 | 927 | SupplierStandard | 765 | 20 |
| 103104204070329 | 42 | 1,960 | Bright | sZ | 1,620 | 973 | SupplierStandard | 802 | 20 |
| 103104204270329 | 42 | 1,960 | Galvanized | sZ | 1,620 | 973 | SupplierStandard | 802 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-------|------------------|-----|----|
| 103104203070329 | 42 | 1,960 | Bright | zS | 1,620 | 973 | SupplierStandard | 802 | 20 |
| 103104203270329 | 42 | 1,960 | Galvanized | zS | 1,620 | 973 | SupplierStandard | 802 | 20 |
| 103104205070329 | 42 | 1,960 | Bright | sS | 1,620 | 973 | SupplierStandard | 802 | 20 |
| 103104205270329 | 42 | 1,960 | Galvanized | sS | 1,620 | 973 | SupplierStandard | 802 | 20 |
| 103104206070329 | 42 | 1,960 | Bright | zZ | 1,620 | 973 | SupplierStandard | 802 | 20 |
| 103104206270329 | 42 | 1,960 | Galvanized | zZ | 1,620 | 973 | SupplierStandard | 802 | 20 |
| 103104204100329 | 42 | 2,160 | Bright | sZ | 1,753 | 973 | SupplierStandard | 802 | 20 |
| 103104204300329 | 42 | 2,160 | Galvanized | sZ | 1,753 | 973 | SupplierStandard | 802 | 20 |
| 103104203100329 | 42 | 2,160 | Bright | zS | 1,753 | 973 | SupplierStandard | 802 | 20 |
| 103104203300329 | 42 | 2,160 | Galvanized | zS | 1,753 | 973 | SupplierStandard | 802 | 20 |
| 103104205100329 | 42 | 2,160 | Bright | sS | 1,753 | 973 | SupplierStandard | 802 | 20 |
| 103104205300329 | 42 | 2,160 | Galvanized | sS | 1,753 | 973 | SupplierStandard | 802 | 20 |
| 103104206100329 | 42 | 2,160 | Bright | zZ | 1,753 | 973 | SupplierStandard | 802 | 20 |
| 103104206300329 | 42 | 2,160 | Galvanized | zZ | 1,753 | 973 | SupplierStandard | 802 | 20 |
| 103104304070329 | 43 | 1,960 | Bright | sZ | 1,698 | 1,019 | SupplierStandard | 841 | 20 |
| 103104304270329 | 43 | 1,960 | Galvanized | sZ | 1,698 | 1,019 | SupplierStandard | 841 | 20 |
| 103104303070329 | 43 | 1,960 | Bright | zS | 1,698 | 1,019 | SupplierStandard | 841 | 20 |
| 103104303270329 | 43 | 1,960 | Galvanized | zS | 1,698 | 1,019 | SupplierStandard | 841 | 20 |
| 103104305070329 | 43 | 1,960 | Bright | sS | 1,698 | 1,019 | SupplierStandard | 841 | 20 |
| 103104305270329 | 43 | 1,960 | Galvanized | sS | 1,698 | 1,019 | SupplierStandard | 841 | 20 |
| 103104306070329 | 43 | 1,960 | Bright | zZ | 1,698 | 1,019 | SupplierStandard | 841 | 20 |
| 103104306270329 | 43 | 1,960 | Galvanized | zZ | 1,698 | 1,019 | SupplierStandard | 841 | 20 |
| 103104304100329 | 43 | 2,160 | Bright | sZ | 1,837 | 1,019 | SupplierStandard | 841 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-------|------------------|-----|----|
| 103104304300329 | 43 | 2,160 | Galvanized | sZ | 1,837 | 1,019 | SupplierStandard | 841 | 20 |
| 103104303100329 | 43 | 2,160 | Bright | zS | 1,837 | 1,019 | SupplierStandard | 841 | 20 |
| 103104303300329 | 43 | 2,160 | Galvanized | zS | 1,837 | 1,019 | SupplierStandard | 841 | 20 |
| 103104305100329 | 43 | 2,160 | Bright | sS | 1,837 | 1,019 | SupplierStandard | 841 | 20 |
| 103104305300329 | 43 | 2,160 | Galvanized | sS | 1,837 | 1,019 | SupplierStandard | 841 | 20 |
| 103104306100329 | 43 | 2,160 | Bright | zZ | 1,837 | 1,019 | SupplierStandard | 841 | 20 |
| 103104306300329 | 43 | 2,160 | Galvanized | zZ | 1,837 | 1,019 | SupplierStandard | 841 | 20 |
| 103104404070329 | 44 | 1,960 | Bright | sZ | 1,778 | 1,067 | SupplierStandard | 881 | 20 |
| 103104404270329 | 44 | 1,960 | Galvanized | sZ | 1,778 | 1,067 | SupplierStandard | 881 | 20 |
| 103104403070329 | 44 | 1,960 | Bright | zS | 1,778 | 1,067 | SupplierStandard | 881 | 20 |
| 103104403270329 | 44 | 1,960 | Galvanized | zS | 1,778 | 1,067 | SupplierStandard | 881 | 20 |
| 103104405070329 | 44 | 1,960 | Bright | sS | 1,778 | 1,067 | SupplierStandard | 881 | 20 |
| 103104405270329 | 44 | 1,960 | Galvanized | sS | 1,778 | 1,067 | SupplierStandard | 881 | 20 |
| 103104406070329 | 44 | 1,960 | Bright | zZ | 1,778 | 1,067 | SupplierStandard | 881 | 20 |
| 103104406270329 | 44 | 1,960 | Galvanized | zZ | 1,778 | 1,067 | SupplierStandard | 881 | 20 |
| 103104404100329 | 44 | 2,160 | Bright | sZ | 1,924 | 1,067 | SupplierStandard | 881 | 20 |
| 103104404300329 | 44 | 2,160 | Galvanized | sZ | 1,924 | 1,067 | SupplierStandard | 881 | 20 |
| 103104403100329 | 44 | 2,160 | Bright | zS | 1,924 | 1,067 | SupplierStandard | 881 | 20 |
| 103104403300329 | 44 | 2,160 | Galvanized | zS | 1,924 | 1,067 | SupplierStandard | 881 | 20 |
| 103104405100329 | 44 | 2,160 | Bright | sS | 1,924 | 1,067 | SupplierStandard | 881 | 20 |
| 103104405300329 | 44 | 2,160 | Galvanized | sS | 1,924 | 1,067 | SupplierStandard | 881 | 20 |
| 103104406100329 | 44 | 2,160 | Bright | zZ | 1,924 | 1,067 | SupplierStandard | 881 | 20 |
| 103104406300329 | 44 | 2,160 | Galvanized | zZ | 1,924 | 1,067 | SupplierStandard | 881 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-------|------------------|-----|----|
| 103104504070329 | 45 | 1,960 | Bright | sZ | 1,860 | 1,116 | SupplierStandard | 921 | 20 |
| 103104504270329 | 45 | 1,960 | Galvanized | sZ | 1,860 | 1,116 | SupplierStandard | 921 | 20 |
| 103104503070329 | 45 | 1,960 | Bright | zS | 1,860 | 1,116 | SupplierStandard | 921 | 20 |
| 103104503270329 | 45 | 1,960 | Galvanized | zS | 1,860 | 1,116 | SupplierStandard | 921 | 20 |
| 103104505070329 | 45 | 1,960 | Bright | sS | 1,860 | 1,116 | SupplierStandard | 921 | 20 |
| 103104505270329 | 45 | 1,960 | Galvanized | sS | 1,860 | 1,116 | SupplierStandard | 921 | 20 |
| 103104506070329 | 45 | 1,960 | Bright | zZ | 1,860 | 1,116 | SupplierStandard | 921 | 20 |
| 103104506270329 | 45 | 1,960 | Galvanized | zZ | 1,860 | 1,116 | SupplierStandard | 921 | 20 |
| 103104504100329 | 45 | 2,160 | Bright | sZ | 2,012 | 1,116 | SupplierStandard | 921 | 20 |
| 103104504300329 | 45 | 2,160 | Galvanized | sZ | 2,012 | 1,116 | SupplierStandard | 921 | 20 |
| 103104503100329 | 45 | 2,160 | Bright | zS | 2,012 | 1,116 | SupplierStandard | 921 | 20 |
| 103104503300329 | 45 | 2,160 | Galvanized | zS | 2,012 | 1,116 | SupplierStandard | 921 | 20 |
| 103104505100329 | 45 | 2,160 | Bright | sS | 2,012 | 1,116 | SupplierStandard | 921 | 20 |
| 103104505300329 | 45 | 2,160 | Galvanized | sS | 2,012 | 1,116 | SupplierStandard | 921 | 20 |
| 103104506100329 | 45 | 2,160 | Bright | zZ | 2,012 | 1,116 | SupplierStandard | 921 | 20 |
| 103104506300329 | 45 | 2,160 | Galvanized | zZ | 2,012 | 1,116 | SupplierStandard | 921 | 20 |
| 103104604070329 | 46 | 1,960 | Bright | sZ | 1,944 | 1,167 | SupplierStandard | 963 | 20 |
| 103104604270329 | 46 | 1,960 | Galvanized | sZ | 1,944 | 1,167 | SupplierStandard | 963 | 20 |
| 103104603070329 | 46 | 1,960 | Bright | zS | 1,944 | 1,167 | SupplierStandard | 963 | 20 |
| 103104603270329 | 46 | 1,960 | Galvanized | zS | 1,944 | 1,167 | SupplierStandard | 963 | 20 |
| 103104605070329 | 46 | 1,960 | Bright | sS | 1,944 | 1,167 | SupplierStandard | 963 | 20 |
| 103104605270329 | 46 | 1,960 | Galvanized | sS | 1,944 | 1,167 | SupplierStandard | 963 | 20 |
| 103104606070329 | 46 | 1,960 | Bright | zZ | 1,944 | 1,167 | SupplierStandard | 963 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-------|------------------|-------|----|
| 103104606270329 | 46 | 1,960 | Galvanized | zZ | 1,944 | 1,167 | SupplierStandard | 963 | 20 |
| 103104604100329 | 46 | 2,160 | Bright | sZ | 2,103 | 1,167 | SupplierStandard | 963 | 20 |
| 103104604300329 | 46 | 2,160 | Galvanized | sZ | 2,103 | 1,167 | SupplierStandard | 963 | 20 |
| 103104603100329 | 46 | 2,160 | Bright | zS | 2,103 | 1,167 | SupplierStandard | 963 | 20 |
| 103104603300329 | 46 | 2,160 | Galvanized | zS | 2,103 | 1,167 | SupplierStandard | 963 | 20 |
| 103104605100329 | 46 | 2,160 | Bright | sS | 2,103 | 1,167 | SupplierStandard | 963 | 20 |
| 103104605300329 | 46 | 2,160 | Galvanized | sS | 2,103 | 1,167 | SupplierStandard | 963 | 20 |
| 103104606100329 | 46 | 2,160 | Bright | zZ | 2,103 | 1,167 | SupplierStandard | 963 | 20 |
| 103104606300329 | 46 | 2,160 | Galvanized | zZ | 2,103 | 1,167 | SupplierStandard | 963 | 20 |
| 103104704070329 | 47 | 1,960 | Bright | sZ | 2,029 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104704100329 | 47 | 2,160 | Bright | sZ | 2,195 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104704300329 | 47 | 2,160 | Galvanized | sZ | 2,195 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104704270329 | 47 | 1,960 | Galvanized | sZ | 2,029 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104703070329 | 47 | 1,960 | Bright | zS | 2,029 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104703270329 | 47 | 1,960 | Galvanized | zS | 2,029 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104705070329 | 47 | 1,960 | Bright | sS | 2,029 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104705270329 | 47 | 1,960 | Galvanized | sS | 2,029 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104706070329 | 47 | 1,960 | Bright | zZ | 2,029 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104706270329 | 47 | 1,960 | Galvanized | zZ | 2,029 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104703100329 | 47 | 2,160 | Bright | zS | 2,195 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104703300329 | 47 | 2,160 | Galvanized | zS | 2,195 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104705100329 | 47 | 2,160 | Bright | sS | 2,195 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104705300329 | 47 | 2,160 | Galvanized | sS | 2,195 | 1,218 | SupplierStandard | 1,005 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-------|------------------|-------|----|
| 103104706100329 | 47 | 2,160 | Bright | zZ | 2,195 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104706300329 | 47 | 2,160 | Galvanized | zZ | 2,195 | 1,218 | SupplierStandard | 1,005 | 20 |
| 103104804070329 | 48 | 1,960 | Bright | sZ | 2,116 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104804270329 | 48 | 1,960 | Galvanized | sZ | 2,116 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104804100329 | 48 | 2,160 | Bright | sZ | 2,289 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104804300329 | 48 | 2,160 | Galvanized | sZ | 2,289 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104803070329 | 48 | 1,960 | Bright | zS | 2,116 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104803270329 | 48 | 1,960 | Galvanized | zS | 2,116 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104805070329 | 48 | 1,960 | Bright | sS | 2,116 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104805270329 | 48 | 1,960 | Galvanized | sS | 2,116 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104806070329 | 48 | 1,960 | Bright | zZ | 2,116 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104806270329 | 48 | 1,960 | Galvanized | zZ | 2,116 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104803100329 | 48 | 2,160 | Bright | zS | 2,289 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104803300329 | 48 | 2,160 | Galvanized | zS | 2,289 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104805100329 | 48 | 2,160 | Bright | sS | 2,289 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104805300329 | 48 | 2,160 | Galvanized | sS | 2,289 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104806100329 | 48 | 2,160 | Bright | zZ | 2,289 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104806300329 | 48 | 2,160 | Galvanized | zZ | 2,289 | 1,270 | SupplierStandard | 1,048 | 20 |
| 103104904070329 | 49 | 1,960 | Bright | sZ | 2,205 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104904270329 | 49 | 1,960 | Galvanized | sZ | 2,205 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104904100329 | 49 | 2,160 | Bright | sZ | 2,386 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104904300329 | 49 | 2,160 | Galvanized | sZ | 2,386 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104903300329 | 49 | 2,160 | Galvanized | zS | 2,386 | 1,324 | SupplierStandard | 1,092 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-------|------------------|-------|----|
| 103104903070329 | 49 | 1,960 | Bright | zS | 2,205 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104903270329 | 49 | 1,960 | Galvanized | zS | 2,205 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104905070329 | 49 | 1,960 | Bright | sS | 2,205 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104905270329 | 49 | 1,960 | Galvanized | sS | 2,205 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104906070329 | 49 | 1,960 | Bright | zZ | 2,205 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104906270329 | 49 | 1,960 | Galvanized | zZ | 2,205 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104903100329 | 49 | 2,160 | Bright | zS | 2,386 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104905100329 | 49 | 2,160 | Bright | sS | 2,386 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104905300329 | 49 | 2,160 | Galvanized | sS | 2,386 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104906100329 | 49 | 2,160 | Bright | zZ | 2,386 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103104906300329 | 49 | 2,160 | Galvanized | zZ | 2,386 | 1,324 | SupplierStandard | 1,092 | 20 |
| 103105004070329 | 50 | 1,960 | Bright | sZ | 2,296 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105004270329 | 50 | 1,960 | Galvanized | sZ | 2,296 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105003070329 | 50 | 1,960 | Bright | zS | 2,296 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105003270329 | 50 | 1,960 | Galvanized | zS | 2,296 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105004100329 | 50 | 2,160 | Bright | sZ | 2,484 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105004300329 | 50 | 2,160 | Galvanized | sZ | 2,484 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105003100329 | 50 | 2,160 | Bright | zS | 2,484 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105003300329 | 50 | 2,160 | Galvanized | zS | 2,484 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105005070329 | 50 | 1,960 | Bright | sS | 2,296 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105005270329 | 50 | 1,960 | Galvanized | sS | 2,296 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105006270329 | 50 | 1,960 | Galvanized | zZ | 2,296 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105006300329 | 50 | 2,160 | Galvanized | zZ | 2,296 | 1,378 | SupplierStandard | 1,137 | 20 |

| | | | | | | | | | |
|-----------------|----|-------|------------|----|-------|-------|------------------|-------|----|
| 103105006100329 | 50 | 2,160 | Bright | zZ | 2,296 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105005100329 | 50 | 2,160 | Bright | sS | 2,484 | 1,378 | SupplierStandard | 1,137 | 20 |
| 103105005300329 | 50 | 2,160 | Galvanized | sS | 2,484 | 1,378 | SupplierStandard | 1,137 | 20 |

Technical data