

Tower crane

Truck crane

Overhead cranes



Steel Wire Rope verotop E

Product information



Wire rope construction: verotop E is a flexible rotation-resistant rope with compacted outer strands.

Properties:

- High breaking strength with very strong resistance to drum crushing.
- Very good bending fatigue results..
- Great resistance to crushing and abrasion.

ISO 4309 Rope Category No: All Diameters **RCN.23-2.**

Marking: According to standard
Standard: EN 12385-4
Note: verotop E can be used either with or without a swivel.

Fill factor: 0.7
RCN: 23-2
Tolerance Ø: +2% to +4%

Part Code	Rope Diameter,	Tensile strength N/mm²	Finish	Rope lay	Min. Breaking force kN.	Steel area mm²	Lubrication	Weight	Delivery time
104100806070139	8	-	-	-	-	-	-	-	-
104100906070139	9	-	-	-	-	-	-	-	-
104101006070139	10	-	-	-	-	-	-	-	-
104101106070139	11	-	-	-	-	-	-	-	-

104101206070139	12	-	-	-	-	-	-	-	-
104101306070139	13	-	-	-	-	-	-	-	-
104101406070139	14	-	-	-	-	-	-	-	-
104101506070139	15	-	-	-	-	-	-	-	-
104101606070139	16	-	-	-	-	-	-	-	-
104101806070139	18	-	-	-	-	-	-	-	-
104101906070139	19	-	-	-	-	-	-	-	-
104102006070139	20	-	-	-	-	-	-	-	-
104102206070139	22	-	-	-	-	-	-	-	-
104102306070139	23	-	-	-	-	-	-	-	-
104102406070139	24	-	-	-	-	-	-	-	-
104102506070139	25	-	-	-	-	-	-	-	-
104102606070139	26	-	-	-	-	-	-	-	-
104102706070139	27	-	-	-	-	-	-	-	-
104102806070139	28	-	-	-	-	-	-	-	-
104102906070139	29	-	-	-	-	-	-	-	-
104103006070139	30	-	-	-	-	-	-	-	-
104103206070139	32	-	-	-	-	-	-	-	-
104103406070139	34	-	-	-	-	-	-	-	-
104103506070139	35	-	-	-	-	-	-	-	-
104103606070139	36	-	-	-	-	-	-	-	-
104103806070139	38	-	-	-	-	-	-	-	-
104104006070139	40	-	-	-	-	-	-	-	-

Technical data