

Offshore crane

Piling crane

Mobile port crane

Steel Wire Rope Verotop P

Product information

Wire rope construction: Verotop P is a rotation-resistant rope with compacted strands and a rope core covered with a plastic layer.

Features:

- Very high breaking strength.
- Provides a very stable rope structure and achieves excellent bending fatigue results.
- Offers excellent crushing and very good abrasion resistance.
- Possesses perfect spooling behavior on multilayer drum.

ISO 4309 Rope Category No: All Diameters **RCN.23-3.**

Marking: According to standard
Standard: EN 12385-4
Note: verotop P can be used either with or without swivel.

Fill factor: 0.73
RCN: 23-3
Tolerance Ø: +2% to +4%

Part Code	Rope Diameter,	Tensile strength N/mm²	Finish	Rope lay	Min. Breaking force kN.	Steel area mm²	Lubrication	Weight	Delivery time
104101606070149	16	-	-	-	-	-	-	-	-
104101706070149	17	-	-	-	-	-	-	-	-
104101806070149	18	-	-	-	-	-	-	-	-
104101906070149	19	-	-	-	-	-	-	-	-

104102006070149	20	-	-	-	-	-	-	-	-
104102106070149	21	-	-	-	-	-	-	-	-
104102206070149	22	-	-	-	-	-	-	-	-
104102246070149	22.4	-	-	-	-	-	-	-	-
104102306070149	23	-	-	-	-	-	-	-	-
104102406070149	24	-	-	-	-	-	-	-	-
104102506070149	25	-	-	-	-	-	-	-	-
104102546070149	25.4	-	-	-	-	-	-	-	-
104102606070149	26	-	-	-	-	-	-	-	-
104102706070149	27	-	-	-	-	-	-	-	-
104102806070149	28	-	-	-	-	-	-	-	-
104102866070149	28.6	-	-	-	-	-	-	-	-
104102906070149	29	-	-	-	-	-	-	-	-
104103006070149	30	-	-	-	-	-	-	-	-
104103106070149	31	-	-	-	-	-	-	-	-
104103206070149	32	-	-	-	-	-	-	-	-
104103306070149	33	-	-	-	-	-	-	-	-
104103406070149	34	-	-	-	-	-	-	-	-
104103506070149	35	-	-	-	-	-	-	-	-
104103606070149	36	-	-	-	-	-	-	-	-
104103806070149	38	-	-	-	-	-	-	-	-
104104006070149	40	-	-	-	-	-	-	-	-
104104206070149	42	-	-	-	-	-	-	-	-

104104306070149	43	-	-	-	-	-	-	-	-
104104406070149	44	-	-	-	-	-	-	-	-
104104506070149	45	-	-	-	-	-	-	-	-
104104606070149	46	-	-	-	-	-	-	-	-
104104806070149	48	-	-	-	-	-	-	-	-
104105006070149	50	-	-	-	-	-	-	-	-
104105206070149	52	-	-	-	-	-	-	-	-
104105406070149	54	-	-	-	-	-	-	-	-

Technical data