

## Excavator hook, weldable, grade 80



### Product information

Weld-on excavator hook for excavator dippers, work machines and vehicles.

**Material:** Steel

**Marking:** According to standard, CE-marked

**Temperature range:** -40 - (+)200°C / 400°C = WLL 75%

**Finish:** Painted, yellow

**Standard:** EN 1677-1

**Safety factor:** 4:1

**Grade:** 8

Part Code	WLL ton	A mm	W mm	P mm	T mm	L mm	H mm	F mm	Weight kg	Delivery time
420500200460	2	5	80	25	20	94	24	34	0.8	5
420500300460	3	6	115	30	24	105	30	36	1.2	5
420500500460	5	10	155	34	28	132	43	44	2.5	5
420500800460	8	12	160	34	38	135	51	51	3.3	5
420501000460	10	15	200	50	39	167	55	53	5.2	5
420501500460	15	14	241	54	45	184	67	61	7.9	7

## Technical data

### SPARE PARTS

You can also find spare parts [here>>](#)

Spare part set (product code)   Inc. latch, spring and pins	Fits the hooks (product code/s)
KAKOKOR02	KAKO02, KAKO03
KAKOKOR05	KAKO05, KAKO08
KAKOKOR10	KAKO10

# Blueprint

