

Black Belt Sling Extreema® with Dyneema® core

Product information



These EXTREEMA® HMPE soft slings have an extensive track record and a solid global footprint in the heavy lift industry. The Black Belt Sling™ has unparalleled load-bearing capacity, ensuring the safe and efficient lifting of even the heaviest loads.

The core is made of Bio Based Dyneema®, which makes it up to 15 times stronger than steel on a weight-to-weight basis.

The sleeve is an orange PES inner sleeve and is covered with a black knitted Cordura® outer sleeve, which is known for its resistance to abrasions, tears, and scuffs. The black sleeve is repairable.

Features:

- Lightweight and flexible, easy to handle
- Repairable sleeve
- Does not absorb water
- Floats on water
- Abrasion, tearing and scuff resistant
- Sustainable
- High pressure resistant
- EWL: 0,5m – 65m

Material: PES, Dyneema®

Marking: According to standard, CE-marked

Temperature range: -50°C up to +70°C

Standard: EN 1492-2

Safety factor: 7:1

Part Code

WLL ton

340501200600020

12

34050150XXX0020

15

340501501300020

15

340501600100020	16
340501800750020	18
34050200XX0020	20
340502000480020	20
340502000510020	20
340502000150020	20
340502000180020	20
340502000190020	20
340502000240020	20
340502500220020	25
340502500400020	25
340502500480020	25
340502500500020	25
340502500100020	25
340502500300020	25
340503000500020	30
34050300XX0020	30
340503001050020	30
340503000200020	30
340503000280020	30
340503000300020	30
340503000400020	30
340503000800020	30

340503000100020	30
340503000150020	30
340503500150020	35
340503500190020	35
340503500350020	35
340503500360020	35
340503500450020	35
340503500550020	35
340504000500020	40
34050400XX0020	40
340504000170020	40
340504001020020	40
340504000270020	40
340504000300020	40
340504000330020	40
340504000490020	40
340504000520020	40
340504000800020	40
340504000970020	40
340504000650020	40
340504500180020	45
340504500450020	45
340504500500020	45

340504500580020	45
340504500700020	45
34050500XX0020	50
340505000100020	50
340505000130020	50
340505000150020	50
340505000240020	50
340505000290020	50
340505000300020	50
340505000310020	50
340505000340020	50
340505000350020	50
340505000400020	50
340505000460020	50
340505000500020	50
340505000700020	50
340505500770020	55
340505601000020	56
340505601600020	56
340506000200020	60
340506000240020	60
340506000250020	60
340506000300020	60

340506000320020	60
340506000330020	60
340506000340020	60
340506000360020	60
340506000500020	60
340506000900020	60
340506501400020	65
340506500250020	65
340506500500020	65
340507000250020	70
340507500500020	75
34050750XX0020	75
340507500050020	75
340507500800020	75
340508000210020	80
340508000550020	80
340508000700020	80
340508000150020	80
340508001400020	80
340509000900020	90
340510000500020	100
34051000XX0020	100
340510001000020	100

340510001200020	100
340510000300020	100
340510000730020	100
340512000200020	120
340512002700020	120
340512000300020	120
340512000450020	120
340512000700020	120
340512500500020	125
34051250XX0020	125
340512500200020	125
340512500400020	125
340515000500020	150
34051500XX0020	150
340515000250020	150
340515000450020	150
340515000470020	150
340515000680020	150
340516002700020	160
340516000700020	160
340518001400020	180
340518000500020	180
340518000600020	180

340518501290020	185
340519501480020	195
340519501600020	195
340520000500020	200
34052000XXX0020	200
340520000150020	200
340520001210020	200
340520000400020	200
340520000600020	200
340520000800020	200
340521740300020	217.4
340521740350020	217.4
340522000400020	220
340525000300020	250
340525000500020	250
340525000700020	250
340526981170020	269.8
340526980590020	269.8
340527000440020	270
340529000310020	290